



Boxter LED

Projector / searchlight

secom
here comes the light



Boxter LED

Boxter LED es el resultado de conjugar diseño, investigación, innovación, eficiencia y funcionalidad capaz de satisfacer un amplio abanico de necesidades en el campo de proyección e iluminación comercial y arquitectónica.

De línea minimalista genera una armonía elegante en cualquier superficie.

Boxter es un proyector capaz de adaptarse a cualquier aplicación de superficie, gracias a su flexibilidad tanto en diseño (instalación en superficie, empotrado y sobre carril electrificado), como en su amplio abanico de ópticas, grados de apertura, gran reproducción cromática de colores y altísimo rendimiento lumínico que contiene los semiconductores de última generación Osram SSL Oslon es una solución perfecta para conseguir una infinidad de ambientes y respuestas lumínicas concretas también debido a su facilidad de orientación.


Fabricado en aluminio inyectado, articula de una forma idónea y novedosa dos piezas diseñadas para una perfecta orientación de la luz, incorpora reflectores definidos escrupulosamente para optimizar la aplicación en proyección, convirtiéndolo así, en una de las luminarias de mayor polivalencia en su gama.

LED Boxter is the result of combining design, research, innovation, efficiency and functionality capable of meeting a range of needs in the field of projection and lighting commercial and architectural.

With its Minimalist line generates an elegant harmony on any surface.

LED Boxter is a projector capable of adapting to any application surface, thanks to its flexibility in design (Surface, recessed and electrified rail installation), and its wide range of optics, degrees of openness, great chromatic color reproduction and very high light output. This luminaire containing the latest semiconductors Osram Ssl Oslon which is a perfect solution to achieve an infinite number of spaces and lighting concrete responses also because of its ease of orientation.

Made in cast aluminum, articulated in a suitable and innovative forms; two pieces designed for perfect orientation of light, reflectors incorporates carefully defined to optimize the application in projection, turning it in one of the luminaries of greater versatility in its range.



Boxter Carril LED Boxter Track LED



Boxter carril / Boxter track

Incluye driver y lámpara LED
Includes driver and LED lamp

Ref.	Color / Colour	Lum.	W.
5000 01 13 84	Blanco / White	1522	13w
5000 01 26 84	Blanco / White	3045	26w
5000 01 31 84	Blanco / White	4060	31w

* Se suministra de manera estándar con ángulo de máxima apertura [54°]

* Standardly supplied with maximum lamp opening angle [54°]

* Se suministra de manera estándar con lámpara 4000° K.

* Standardly supplied with 4000° K lamp.



Opciones / Options

Ref. DRDA13	Driver regulable Dali y adaptador carril / Dimmable driver Dali and track adapter
Ref. DRDA26	Driver regulable Dali y adaptador carril / Dimmable driver Dali and track adapter
Ref. DRDA31	Driver regulable Dali y adaptador carril / Dimmable driver Dali and track adapter



Opciones / Options

Ref. CRI90	CRI > 90
Ref. 16	Ángulo de apertura 16° / Opening angle 16°
Ref. 28	Ángulo de apertura 28° / Opening angle 28°
Ref. 3410	Cierre reflector Boxter / Close reflector Boxter



Boxter Superficie LED Boxter Surface LED



Boxter superficie / Boxter surface

Incluye driver y lámpara LED
Includes driver and LED lamp

Ref.	Color / Colour	Lum.	W.
5001 01 13 84	Blanco / White	1522	13w
5001 01 26 84	Blanco / White	3045	26w
5001 01 31 84	Blanco / White	4060	31w

- * Se suministra de manera estándar con ángulo de máxima apertura [54°]
- * Standardly supplied with maximum lamp opening angle [54°]
- * Se suministra de manera estándar con lámpara 4000° K.
- * Standardly supplied with 4000° K lamp.

Opciones / Options

Ref. DR13	Driver regulable 1-10v / Dimmable driver 1-10v
Ref. DRD13	Driver regulable Dali / Dimmable driver Dali
Ref. DR26	Driver regulable 1-10v / Dimmable driver 1-10v
Ref. DRD26	Driver regulable Dali / Dimmable driver Dali
Ref. DR31	Driver regulable 1-10v / Dimmable driver 1-10v
Ref. DRD31	Driver regulable Dali / Dimmable driver Dali

OPCIONES LED / OPTIONS LED

Ref. LPF	LEDs Pescado / Fish - 4000K - CRI>90
Ref. LPB	LEDs Pan / Bread - 3000K - CRI>90
Ref. LCM	LEDs Carne / Meat - 2700K - CRI>90
Ref. LWV	LEDs Verd. y fruta / Veg. and fruit - 4000K - CRI>90

Boxter Empotrable LED Boxter Recessed LED



Boxter empotrable / Boxter recessed

Incluye driver y lámpara LED
Includes driver and LED lamp

Ref.	Color / Colour	Lum.	W.
5002 01 13 84	Blanco / White	1522	13w
5002 01 26 84	Blanco / White	3045	26w
5002 01 31 84	Blanco / White	4060	31w

- * Se suministra de manera estándar con ángulo de máxima apertura [54°]
- * Standardly supplied with maximum lamp opening angle [54°]
- * Se suministra de manera estándar con lámpara 4000° K.
- * Standardly supplied with 4000° K lamp.

Opciones / Options

Ref. DR13	Driver regulable 1-10v / Dimmable driver 1-10v
Ref. DRD13	Driver regulable Dali / Dimmable driver Dali
Ref. DR26	Driver regulable 1-10v / Dimmable driver 1-10v
Ref. DRD26	Driver regulable Dali / Dimmable driver Dali
Ref. DR31	Driver regulable 1-10v / Dimmable driver 1-10v
Ref. DRD31	Driver regulable Dali / Dimmable driver Dali

OPCIONES LED / OPTIONS LED

	Ref. 83	Ref. 84	Ref. 85
CRI>80 / Temp. de color / Colour temperature	3000°K	4000°K	5700°K
Lúmenes / Lumens Osram Osolon SSL	13w	1470	1522
	26w	2940	3045
	31w	3920	4060
		4060	4200

Los beneficios de las luminarias de LEDs de secom.

- Ahorro energético por su alta eficiencia.
- Ahorro en mantenimiento de luminarias.
- Reproducción cromática (IRC) 80.
- Amplia gama en temperaturas de color.
- Amplia gama de medidas y de colores.
- Posibilidad de regular las luminarias.
- Ópticas de alto rendimiento.
- Fácil montaje e instalación.

¿Por qué trabajar con secom?


- Fabricación nacional de todas sus luminarias de LEDs.
- Disponibilidad de todos los componentes de las luminarias de LEDs (disipadores, LEDs, circuitos, drivers, etc) para reposición.
- El mejor servicio en luminarias de LEDs, debido a la fabricación nacional y al gran stocks de componentes.
- Gran versatilidad en diseño, posibilidad de personalizar luminarias.
- Productos que cumplen la normativa europea vigente.
- Componentes Osram Duris E5.
- Estricto control de calidad.
- Gran inversión en I+D+i para el desarrollo de flujos lumínicos y tecnologías de disipación de temperatura.
- PCB con fechador para verificar la vida media útil garantizada.

The benefits of secom LED lighting fittings.

- Energy-saving because of his high efficiency.
- Saving in maintenance.
- Cromatic reproduction (ICR) 80.
- Wide range of colour temperture.
- Wide range of measures and colours.
- Possibility of dimming the lighting fitting.
- High output optics.
- Easy installation.

Why should you work with secom?

- Own production of all our LED light fitting.
- Availability of all components of LEDs fittings (heat sink, LEDs, drivers, etc.) for replacement.
- The best service in the LEDs fitting due to the production in our own production plants of and a large stock of components.
- Flexibility in design and possibility of customize the fittings.
- The products comply with European standards.
- Components are Osram Duris E5.
- Strict quality control.
- Big investment in R&D on development of luminus fluxes and temperature dissipation technologies.
- PCB with its production date for life span control.



secom
here comes the light

Polígono Industrial la Estrella. C/ Marte 18-21
0500 Molina de Segura (Murcia) Spain - Buzón de correos nº11
Tlf.: 968 80 12 11 - Fax.:968 89 10 48 - secom@secom.es
Dpto.Exportación. Tlf.: ++34-968-80 18 00. Fax.: ++34-968-89 10 48
export@secom.es



Ficha técnica / data sheet
13W



Ficha técnica / data sheet
26W



www.secom.es



Ficha técnica / data sheet
31 W

