secom

here comes the light

NOOX

FAROLA SOLAR

SOLAR STREETLIGHT

www.secom.es

RESPONSABLE CON
EL MEDIO AMBIENTE
RESPONSIBLE WITH THE ENVIRONMENT

NOOX

FAROLA SOLAR
SOLAR STREETLIGHT

secom
here comes the light

NOOX, LUMINARIA AUTÓNOMA MEDIANTE ENERGÍA SOLAR, IDEAL PARA ALUMBRADO PÚBLICO DONDE SE REQUIERA ENERGÍA 100% SOSTENIBLE O NO EXISTA INSTALACIÓN ELÉCTRICA.

NOOX, AUTONOMOUS LUMINAIRE USING SOLAR ENERGY, IDEAL FOR PUBLIC LIGHTING WHERE 100% SUSTAINABLE ENERGY IS REQUIRED OR WHERE THERE IS NO ELECTRICAL INSTALLATION.

RESPONSABLE CON EL MEDIO AMBIENTE

RESPONSIBLE WITH THE ENVIRONMENT

100%
AHORRO ENERGÉTICO
ENERGY SAVING

ON/OFF
AUTOMÁTICO
AUTOMATIC

MEDIDAS MEASURES

Columna
Column
30w (50 a 90mm.)
50w (60 a 90mm.)

LED W
30w
50w

Driver Incluido
Included

Asimétrica
Asymmetric

K
4000

CRI
>70

40.000h.

Aluminio
Aluminium

IP 65

IK 08

+40º
-25º

Kg.
30w - 11,5

Kg.
50w - 19

NOOX FAROLA SOLAR / SOLAR STREETLIGHT

Ref.	Color / Colour	W	Medidas / Measures	*(84) lm 4000k
4121 58 30 84	Gris / Gray	**30**	360 x 790 x 50	**4200**
4121 58 50 84	Gris / Gray	**50**	360 x 1325 x 50	**7000**

Poste no inluido / Post not included.

PANEL SOLAR MONOCRISTALINO INTEGRADO EN LUMINARIA

Solución respetuosa con el medio ambiente eliminando el 100% del consumo eléctrico.

MONOCRYSTALLINE SOLAR PANEL INTEGRATED IN THE LUMINAIRE

Environmentally friendly solution eliminating 100% of electricity consumption.

12h.

CONTROLADOR INTELIGENTE DOBLE NIVEL

Encendido automático cuando anochece manteniendo el 100% durante la primera hora, el 50% durante las siguientes 3 horas y el 20% durante las 8 horas restantes, apagado automático.

SMART CONTROLLER DOUBLE LEVEL

Automatic start when dusk with a 100% maintenance during the first hour, 50%during the next 3 hours and 20% the remaining 8 hours, automatic shutdown.



6-8h.

CARGA SOLAR

• Incorporan baterías de litio-ferrosfato (LiFePo), más **estables**, **seguras** y **duraderas**.

Estables: Este tipo de baterías mantienen el 100% todo su poder hasta que se agote.

Seguras: No explotan o incendian con sobrecargas.

Duraderas: Tienen una resistencia interna muy baja lo que consigue una vida útil bastante larga, incluso al someterlas a ciclos de descarga profundas.

• Recarga incluso si no le da el sol de manera directa.

• 2 días de autonomía con carga completa en caso de poca luz.

SOLAR CHARGE

• They incorporate lithium-ferro-state (LiFePo) batteries, which are more **stable**, **safe** and **durable**.

Stable: This type of battery maintains 100% of its power until it is exhausted.

Safe: They do not explode or burn with overloads.

Durable: They have a very low internal resistance which achieves a fairly long life, even when subjected to deep discharge cycles.

• Recharge even if not directly exposed to the sun.

• 2 days of autonomy with full charge in case of low light.

Los beneficios de las luminarias de LEDs de secom.

Ahorro energético por su alta eficiencia.

Ahorro en mantenimiento de luminarias.

Reproducción cromática (IRC) 80.

Amplia gama en temperaturas de color.

Amplia gama de medidas y de colores.

Posibilidad de regular las luminarias.

Ópticas de alto rendimiento.

Fácil montaje e instalación.

The benefits of secom LED lighting fittings.

Energy-saving because of his high efficiency.

Saving in maintenance.

Cromatic reproduction (ICR) 80.

Wide range of colour temperture.

Wide range of measures and colours.

Possibility of dimming the lighting fitting.

High output optics.

Easy installation.

¿Por qué trabajar con secom?

Fabricación nacional de todas sus luminarias de LEDs.

Disponibilidad de todos los componentes de las luminarias de LEDs (disipadores, LEDs, circuitos, drivers, etc) para reposición.

El mejor servicio en luminarias de LEDs, debido a la fabricación nacional y al gran stocks de componentes.

Gran versatilidad en diseño, posibilidad de personalizar luminarias.

Productos que cumplen la normativa europea vigente.

LEDs Osram / Samsung.

Estricto control de calidad.

Gran inversión en I+D+i para el desarrollo de flujos lumínicos y tecnologías de disipación de temperatura.

PCB con fechador para verificar la vida media útil garantizada.

Why should you work with secom?

Own production of all our LED light fitting.

Availability of all components of LEDs fittings (heat sink, LEDs, drivers, etc.) for replacement.

The best service in the LEDs fitting due to the production in our own production plants of and a large stock of components.

Flexibility in design and possibility of customize the fittings.

The products comply with European standards.

Components are Osram / Samsung.

Strict quality control.

Big investment in R&D on development of luminus fluxes and temperature dissipation technologies.

PCB with its production date for life span control.





secom

here comes the light

Polígono Industrial La Estrella. C/ Marte 18-21.
30500 Molina de Segura. Murcia. Spain
Tlf. 968 80 12 11 / Fax 968 89 10 48
secom@secom.es

Dpto. Exportación.
Tlf. +34-968-80 18 00
Fax. +34-968-89 10 48
export@secom.es

www.secom.es