

secom
here comes the light



ZELEK CCT

LED PANEL

TUNABLE WHITE
ADJUSTABLE COLOUR TEMPERATURE
IN A SINGLE LUMINAIRE











www.secom.es

ZELEK CCT

LED PANEL
TUNABLE WHITE




ZELEK CCT, LED panel with white temperature control, tunable white system. Convert your lighting to warm white, neutral white or cool white, with a single luminaire and easily configurable via a selector switch.

LED		Fr	W			IP	IK	°K	CRI						PF
2835 MID POWER	220-240V ac	50/60Hz	38 System	✓	SWITCH	20	02	3000K 4000K 6000K	>80	0° +35°	90°	RISK PHOTOBIOLOGICAL 0	50.000h. (L70B50) 25°C	1,540	0,96



PHYSICAL CHARACTERISTICS AND MATERIALS



LED MP
High efficiency LED.
High light intensity.
Low light decay.
Uniform luminous flux.



Flicker Free



Angle of 90° opening



Photobiological risk 0



Easy installation



Manufacturing material, aluminium and PS

ZELEK CCT

LED PANEL
TUNABLE WHITE





REFERENCES

ZELEK CCT / Armstrong


Ref.	Colour	Optics	Dimensions	W LED	Lm. LED	W System	Lm. System	Tep. Adjustable Colour
S22000140CCT	White	90°	59,5 x 59,5 x 20 cm.	34,5	5.260	38	3.200	3000K / 4000K / 6000K

Tolerances: +-7% LED flux / +- 10% luminaire wattage

SWITCH

TEMPERATURE CONTROL OF WHITES

TUNABLE WHITE



3000K


4000K

6000K



SUMMARY OPTICS **ZELEK** CCT

EXTENSIVE



90°

Recommendation Height	3-6 m.
Industry	•
Retail	•
Offices	•
Education	•

GENERATOR REFERENCE **ZELEK** CCT


Ref. Product	Luminaire colour	Power W	System
S2200 (Armstrong)	01 (White)	40 (38w)	CCT
S2200	01	40	CCT

E.g. configuration ref. S22000140CCT

COMPONENTS **ZELEK** CCT

SMZ02	Kit 4 clamps (multi-purpose)	SMZ07	Suspension kit (suspension+frame)
SMZ01	Surface frame (mounted)	S1215	Safety cable
SMZ01SUPERFICIE	Surface frame (unmounted)	S1212B	Leg for safety cable
SMZ01EMPOTRAR	Flush-mounted frame		

DIMENSIONS





secom
here comes the light



www.secom.es